

Fabrication of Intercrossed Carbon Nanorings in a Reaction-Controlled Phase-Transfer System

Ming Qiang Li*, Jie-Jie Zhang and Chao Cui

School of Energy and Power Engineering, Dalian University of Technology, 116023, P.R. China

*Corresponding author: Mingqiang Li, School of Energy and Power Engineering, Dalian University of Technology, 116023, P.R. China, Tel: 86041184708460; Fax: 86041184708460 E-mail: limingq@dlut.edu.cn

Received: April 19, 2017; Accepted: April 28, 2017; Published: May 02, 2017

Abstract

A Reaction-controlled Phase-transfer System was designed by adding active carbon powder in phosphomolybdic acid (PMA) solution with H_2O_2 under the mild stirring-reflux conditions. In this Reaction-controlled Phase-transfer System, the intercrossed carbon nanorings (IC-CNRs) were obtained by Phase transfer when the H_2O_2 was used up. The catalyst could be easily renewable.

Keywords: Carbon materials; Intercrossed carbon nanorings; Phosphomolybdic acid; Catalyst; TEM

Introduction

Various forms of carbon nanomaterials such as fullerenes, carbon nanotubes, nanodiamonds and other carbon nanomaterials have been rapidly developed not only for their unusual electrical and mechanical properties, but also for their potential use in nanofluidic device [1–13]. Since 2003, Kawase et al. [14] reported the synthesis of the first nanorings, a family of similar material has been obtained by that group as molecular recognizers of fullerene [15]. The carbon nanoring has the nanoring shaped structure and the excellent properties of carbon materials, as well as more edge carbons and dangling bonds, and thus it has broad application prospects in fields such as nanodevices, energy storage and sensing [16]. Considerable efforts have been devoted to study the preparation and growth mechanism of carbon nanorings. For example, Li et al. [17] synthesized IC-CNRs with relatively pure hydroxyl surface states. Yang et al. reported a carbon nanoring with monolayered or multilayered [16]. There are various methods to fabricate these carbon nanomaterials with similar structures, a general, simple yet effective method is highly desired but challenging.

Polyoxometalates (POMs) are a subset of metal oxides that represent a diverse range of molecular clusters with an almost unmatched range of physical properties and the ability to form dynamic structures that can range in size from the nano to the micrometer scale [18]. The diversity of structures as well as the high redox-active molecular components that can make up the structure of POMs allow for a wide range of applications in fields such as catalysis, medicine, biology, and more recently

Citation: Li MQ, Zhanga JJ, Cui C. Fabrication of Intercrossed Carbon Nanorings in a Reaction-controlled Phase-transfer System. Res Rev Electrochem. 2017;S1:102.

© 2017 Trade Science Inc.

in nanotechnology [19-21]. For example, Kuhn et al. [22] fabricated colloidal carbon particles by dispersing carbon black powder in POMs solution under ultrasonification, and Kang et al. [7] showed that POMs played an important role in the formation of well-defined carbon onions. On the other hand, the reflux technique is widely used in industry and laboratories since it can be left for a long period of time without the need to add more solvent. Based on the above studies, a PMA assisted Reaction-controlled Phase-transfer System was developed for the synthesis of IC-CNRs. The PMA brings the active carbon powder into the solution and acts as a homogeneous catalyst. The IC-CNRs were obtained by Phase-transfer when the H_2O_2 was used. The catalyst can be easily renewable.

Experimental Procedure

In our experiment, PMA (25 g) was dissolved in deionized water (120 ml) in a flat bottom flasks (250 ml), and AC (0.5 g) was added to the solution. Then we added two drops of 30% H_2O_2 solution every four hours with constant stirring-reflux at $100^\circ C$ for 7 days. Then the system was allowed to cool to room temperature. The dark precipitate was collected and washed with distilled water. A small amount of H_2O_2 solution was added to the solution and dried it. Then PMA hydrate was obtained. Electron microscopy studies were carried out using a TF30 at an operating voltage of 300 kV. Samples were prepared by ultrasonic dispersion of the amorphous particles in deionized water. After ultrasonication, a drop of the suspension was placed on a microgrid and dried in air.

Results and Discussion

FIG. 1, shows the transmission electron microscope (TEM) pictures of the IC-CNRs. The intercrossing of the particles was supported by several truths. First, their ring-like morphology was clearly demonstrated by the TEM image (FIG. 1a). Second, we have failed to separate them into isolated rings through sonication. In addition, it can be identified as the upper part of the ring segment, the corresponding imaging contrast is slightly larger than that of the underlying ring segment, which indicates that the two rings are in intercrossing state. Besides, the completely empty inners demonstrate that the formed products are IC-CNRs, but not carbon onions. The high-resolution transmission electron microscopy (HRTEM) image (FIG. 1b) shows the inter-crossing state of IC-CNRs much clearer. The interlayer spacing between the sheet is 0.337 nm, which corresponds to the (002) spacing of the graphitic lattice. Through the analysis of the 50 rings of the TEM pictures, the average diameter is 8 nm, and the distribution of the inside diameter is narrow (3 nm - 11 nm), as shown in FIG. 2. As shows in FIG. 3, the layer numbers of IC-CNRs are very focused on 5–13 with an average layer number of 10.




FIG. 1: TEM (a) and HRTEM (b) image of IC-CNRs.




FIG. 2. Nanoring diameter distribution.




FIG. 3. Atomic layer number distributions of nanorings.

The composition of the products was revealed by an effective characterization method of Fourier Transform Infrared Spectroscopy (FTIR). FIG. 4, shows the FTIR spectrum of IC-CNRs. The two strongest absorption bands at 1100 cm^{-1} and 3440 cm^{-1} are typical C-O stretching vibrations and OH groups. The absorption band at 1760 cm^{-1} is C=O, while two characteristic bands of CH were observed at 2915 cm^{-1} and 1415 cm^{-1} . Furthermore, the two characteristic peaks at 1195 cm^{-1} and 1600 cm^{-1} are attribute to C-C and C=C. These IR characters demonstrate that we got carbon nanorings. FIG. 5, shows the X-ray diffraction (XRD) patterns of IC-CNRs. The patterns of the samples exhibit two characteristic peaks at 16° and 23° of IC-CNRs.




FIG. 4. FTIR spectrum for IC-CNRs.




FIG. 5. XRD patterns for IC-CNRs.

Conclusion

Activated carbon (AC) has high degree of microporosity with amorphous structure. Some graphited regions can be found in ACs, particularly the ones derived from biomass [23]. Due to the difference between the amorphous and graphite structures, proper oxidizing agents can be used to selectively remove the amorphous part with relatively low stability. In this study, PMA was used to selectively oxidizing the amorphous carbon. The used acid can be easily adsorbed into the pores of the ACs, where the amorphous pore walls would react with the heteropolyacid leaving the graphitized carbon regions. The graphitized carbon nanoring has a graphitized structure and less exposed edges, so it can remain intact during the reaction.

We proposed the scheme for the formation of IC-CNRs from AC (FIG. 6). For one thing, the experimental study shows that unique electronic characteristics of PMA may play a major role in eliminating amorphous carbon and destroying carbon bonds [5,6]. In the preparation process, PMA could be fully dispersed in the activated carbon surface and porous structure. The amorphous carbon was removed and partial carbon bonds were broken with the help of PMA, then the broken carbon bonds were reassembled into IC-CNRs. Besides, the PMB can be converted back to the PMA with the addition of H₂O₂ solution. For another thing, hydrothermal conditions also have a significant impact on the synthesis of IC-CNRs. It has been reported that SP₂-bonded natural crystals (multiwall nanotubes and nano-onions) could grow in hydrothermal conditions [24,25].

We have demonstrated a simple and renewable way to obtain IC-CNRs. The IC-CNRs can be synthesized by a one-step H₃PMo₁₂O₄₀-assisted process in Reaction-controlled Phase-transfer System, which may provide a promising and practical route for the large-scale fabrication of carbon nanoparticles. Now further work is in progress to evaluate the possibility of synthesizing nanostructures using similar method.




FIG. 6. Scheme for the Formation of IC-CNRs from AC.

REFERENCES

1. Iijima S. Helical microtubules of graphitic carbon. *Nature*. 1991;354(6348):56-8.
2. Bethune DS, Klang CH, De Vries MS, et al. Cobalt-catalysed growth of carbon nanotubes with single-atomic-layer walls. *Nature*. 1993;363(6430):605-7.
3. Tian L, Ghosh D, Chen W, et al. Nanosized carbon particles from natural gas soot. *Chemistry of materials*. 2009 May 15;21(13):2803-9.
4. Kang ZH, Wang EB, Gao L, et al. One-step water-assisted synthesis of high-quality carbon nanotubes directly from graphite. *Chem Soc*. 2003;125(45):13652-3.
5. Kang ZH, Wang EB, Mao BD, et al. Controllable fabrication of carbon nanotube and nanobelt with a polyoxometalate-assisted mild hydrothermal process. *Chem Soc*. 2005;127(18):6534-5.
6. Kang ZH, Liu Y, Tsang CHA, et al. Heteropolyacid-assisted fabrication of carbon nanostructures under ambient conditions. *Chem Commun*. 2009;4:413-5.
7. Kang Z, Wang E, Lian S, et al. Selected synthesis of carbon nanostructures directed by silver nanocrystals. *Nanotechnology*. 2004;15(5):490.
8. Kang Z, Wang E, Mao B, et al. Obtaining carbon nanotubes from grass. *Nanotechnology*. 2005;16(8):1192.

9. Delamarche E, Bernard A, Schmid H, et al. Patterned delivery of immunoglobulins to surfaces using microfluidic networks. *Science*. 1997;276(5313):779-81.
10. Yu D, Goh K, Wang H, et al. Scalable synthesis of hierarchically structured carbon nanotube-graphene fibres for capacitive energy storage. *Nature nanotechnology*. 2014;9(7):555-62.
11. Tian GL, Zhao MQ, Yu D, et al. Nitrogen-doped graphene/carbon nanotube hybrids: *In situ* formation on bifunctional catalysts and their superior electrocatalytic activity for oxygen evolution/reduction reaction. *Small*. 2014;10(11):2251-9.
12. Alchudan R, Edison TNJL, Perumal S, et al. Green synthesis of nitrogen-doped graphitic carbon sheets with use of *Prunus persica* for supercapacitor applications. *Appl Surf Sci*. 2017;393:276-86.
13. Salunkhe RR, Lin JJ, Malgras V, et al. Large-scale synthesis of coaxial carbon nanotube/Ni(OH)₂ composites for asymmetric supercapacitor application. *Nano Energy*. 2015;11:211-8.
14. Kawase T, Seirai Y, Darabi HR, et al. All-hydrocarbon inclusion complexes of carbon nanorings: Cyclic [6]- and [8] paraphenyleneacetylenes. *Angewandte Chemie International Edition*. 2003;42(14):1621-4.
15. Kawase T, Tanaka K, Seirai Y, et al. Complexation of carbon nanorings with fullerenes: Supramolecular dynamics and structural tuning for a fullerene sensor. *Angewandte Chemie International Edition*. 2003;42(45):5597-600.
16. Yang WS, Sun J, Liu HM, et al. US Patent. US 2013/0273294 A1. 2013.
17. Li X, Liu Y, Song X, et al. Intercrossed carbon nanorings with pure surface states as low-cost and environment-friendly phosphors for white-light-emitting Diodes. *Angewandte Chemie International Edition*. 2015;54(6):1759-64.
18. Long DL, Tsunashima R, Cronin L. Polyoxometalates: Building blocks for functional nanoscale systems. *Angewandte Chemie International Edition*. 2010;49(10):1736-58.
19. Long DL, Cronin L. Towards polyoxometalate-integrated nanosystems. *Chemistry—A European Journal*. 2006;12(14):3698-706.
20. Liu S, Tang Z. Polyoxometalate-based functional nanostructured films: current progress and future prospects. *Nano Today*. 2010;5(4):267-81.
21. Ji Y, Hu J, Huang L, et al. Covalent attachment of anderson-type polyoxometalates to single-walled carbon nanotubes gives enhanced performance electrodes for lithium ion batteries. *Chemistry—A European Journal*. 2015;21(17):6469-74.
22. Garrigue P, Delville MH, Labrugère C, et al. Top-down approach for the preparation of colloidal carbon nanoparticles. *Chemistry of materials*. 2004;16(16):2984-6.
23. Ajayan PM. Nanotubes from carbon. *Chemical Reviews*. 1999;99(7):1787-800.
24. Calderon Moreno JM, Swamy SS, Fujino T, et al. Carbon nanocells and nanotubes grown in hydrothermal fluids. *Chem Phys Lett*. 2000;329(3-4):317-22.
25. DeVries RC. Diamonds from warm water. *Nature*. 1997;385(6616):485.