

2014

# BioTechnology

*An Indian Journal*

FULL PAPER

BTAIJ, 10(24), 2014 [16463-16470]

## Method for evaluating the brand extension of biological medicine enterprises with multigranularity linguistic information

Tan Hong

Chongqing University of Arts and Sciences, Yongchuan, Chongqing, 402160,  
(CHINA)


E-mail: th1232003@126.com

### ABSTRACT

In this paper, we study on the multiple attribute group decision making problems for evaluating the brand extension of biological medicine enterprises with multigranularity linguistic information. Firstly, the multigranularity linguistic information is transformed into triangular fuzzy numbers. Then, we extend the grey relational analysis (GRA) procedure for multiple attribute group decision making with multigranularity linguistic information. According to the concept of the GRA, a fuzzy relative relational degree is defined to determine the ranking order of all alternatives by calculating the degree of fuzzy grey relational coefficient to both the fuzzy positive-ideal solution (FPIS) and fuzzy negative-ideal solution (FNIS) simultaneously. Finally, an example for evaluating the brand extension of biological medicine enterprises is given to show the feasibility and effectiveness of the proposed method.

### KEYWORDS

Grey relational analysis (GRA); Linguistic variables; Triangular fuzzy numbers; Multiple attribute group decision making (MAGDM); Brand extension; Biological medicine enterprises.



## INTRODUCTION

Brand extension not only can help companies penetrate new markets quickly, but also can help companies improve brand value, and therefore it has drawn a lot of research attention in the area of marketing. Along the advancement of technology and the development of labor division in the society, the difference of quality of different brands in the same class becomes smaller and smaller, and the role of symbolic value on brand extension becomes more and more important. As for brand extension, it has been in the frontier of marketing theory and brand research, and the evaluation of brand extension is an important branch. By evaluating of brand extension, extension efficiency will be enhanced and extension risk will be avoided, which is with practical significance. During the past thirty years, scholars have devoted themselves to explore factors affecting brand extension, the evaluation system is developing with substantial relevant researches, but little service-specific research has focused on this domain so far. As the service industry accounts for an ever-growing share of the global economy, service management is becoming increasingly important. Little is known, however, about the extent to which brand equity transfers to unrelated categories in a services context, so further studies on evaluation theories and methods of service brand extension are valuable.

Multiple attribute decision making is a usual task in human activities. It consists of finding the most preferred alternative from a given alternative set. The increasing complexity of the socio-economic environment makes it less and less possible for a single decision maker to consider all relevant aspects of a problem. As a result, many decision making processes take place in group settings in the real life situation. However, under many conditions, numerical values are inadequate or insufficient to model real-life decision problems. Indeed, human judgments including preference information may be stated in linguistic terms. Thus, multiple attribute group decision making (MAGDM) problems under linguistic environment is an interesting research topic having received more and more attention from researchers during the last several years<sup>[1-15]</sup>. In the process of MAGDM with linguistic information, sometimes, the attribute values and attribute weights take the form of multigranularity linguistic information because of different decision makers' different preference.

In this paper, we study on the multiple attribute group decision making problems for evaluating the brand extension of biological medicine enterprises with multigranularity linguistic information. Firstly, the multigranularity linguistic information is transformed into triangular fuzzy numbers. Then, we extend the grey relational analysis (GRA) procedure for multiple attribute group decision making with multigranularity linguistic information. According to the concept of the GRA, a fuzzy relative relational degree is defined to determine the ranking order of all alternatives by calculating the degree of fuzzy grey relational coefficient to both the fuzzy positive-ideal solution (FPIS) and fuzzy negative-ideal solution (FNIS) simultaneously. Finally, an example for evaluating the brand extension of biological medicine enterprises is given to show the feasibility and effectiveness of the proposed method.

## PRELIMINARIES

In the following, we briefly review some basic definitions and notations of linguistic information and triangular fuzzy numbers.

Let  $S^t = \{s_i^t \mid i = 0, 1, \dots, t-1\}$  be a linguistic term set with odd cardinality. Any label,  $s_i^t$  represents a possible value for a linguistic variable, and it should satisfy the following characteristics<sup>[8-9]</sup>:

(1) The set is ordered:  $s_i^t > s_j^t$ , if  $i > j$ ; (2) Max operator:  $\max(s_i^t, s_j^t) = s_i^t$ , if  $s_i^t \geq s_j^t$ ; (3) Min operator:  $\min(s_i^t, s_j^t) = s_j^t$ , if  $s_i^t \leq s_j^t$ . For example, S can be defined as

$$S = \{s_0 = \text{extremely poor}(EP), s_1 = \text{very poor}(VP), s_2 = \text{poor}(P), s_3 = \text{medium}(M), \\ s_4 = \text{good}(G), s_5 = \text{very good}(VG), s_6 = \text{extremely good}(EG)\}$$

**Definition 1**<sup>[16]</sup>. A triangular fuzzy numbers  $\tilde{a}$  can be defined by a triplet  $(a^L, a^M, a^U)$ . The membership function  $\mu_{\tilde{a}}(x)$  is defined as:

$$\mu_{\tilde{a}}(x) = \begin{cases} 0, & x < a^L, \\ \frac{x - a^L}{a^M - a^L}, & a^L \leq x \leq a^M, \\ \frac{x - a^U}{a^M - a^U}, & a^M \leq x \leq a^U, \\ 0, & x \geq a^U. \end{cases} \tag{1}$$

Where  $0 < a^L \leq a^M \leq a^U$ ,  $a^L$  and  $a^U$  stand for the lower and upper values of the support of  $\tilde{a}$ , respectively, and  $a^M$  for the modal value.

**Definition 2**<sup>(17)</sup>. A fuzzy set  $\tilde{A}$  of the universe of discourse  $X$  is convex if and only if for all  $x_1, x_2$  in  $X$ ,

$$\mu_{\tilde{A}}(\lambda x_1 + (1 - \lambda)x_2) \geq \text{Min}(\mu_{\tilde{A}}(x_1), \mu_{\tilde{A}}(x_2)), \lambda \in [0, 1] \tag{2}$$

**Definition 3**<sup>(17)</sup>. Basic operational laws related to triangular fuzzy numbers:

$$\tilde{a} \oplus \tilde{b} = [a^L, a^M, a^U] \oplus [b^L, b^M, b^U] = [a^L + b^L, a^M + b^M, a^U + b^U] \tag{3}$$

$$\tilde{a} \otimes \tilde{b} = [a^L, a^M, a^U] \otimes [b^L, b^M, b^U] = [a^L b^L, a^M b^M, a^U b^U] \tag{4}$$

**Definition 4**<sup>(17)</sup>. Let  $\tilde{a} = [a^L, a^M, a^U]$  and  $\tilde{b} = [b^L, b^M, b^U]$  be two triangular fuzzy numbers, then the vertex method is defined to calculate the distance between them as

$$\|\tilde{a} - \tilde{b}\| = \sqrt{\frac{1}{3} [(a^L - b^L)^2 + (a^M - b^M)^2 + (a^U - b^U)^2]} \tag{5}$$

The linguistic assessment information can be expressed in positive triangular fuzzy numbers<sup>[18]</sup>. Given any linguistic assessment information  $S_r^t$ , the  $r$ th ( $r = 0, 1, \dots, t - 1$ ) linguistic term of  $t$  multigranularity linguistic assessment information sets  $S^t$ , can be expressed in triangular fuzzy numbers as follows:

$$\tilde{a} = (a^L, a^M, a^U) = (\max((r - 1)/(t - 1), 0), r/(t - 1), \min((r + 1)/(t - 1), 1)) \tag{6}$$

For example,  $S^t$  ( $t = 5, 7, 9$ ) can be expressed in triangular fuzzy numbers in TABLE 1-3.

**TABLE 1 : The linguistic terms in the linguistic sets  $S^5$  and their corresponding triangular fuzzy numbers**

Linguistic terms	Triangular fuzzy numbers
$S_0^5$	(0,0,0.25)
$S_1^5$	(0,0.25,0.5)
$S_2^5$	(0.25,0.5,0.75)
$S_3^5$	(0.5,0.75,1)
$S_4^5$	(0.75,1,1)

**TABLE 2 : The linguistic terms in the linguistic sets  $S^7$  and their corresponding triangular fuzzy numbers**

Linguistic terms	Triangular fuzzy numbers
------------------	--------------------------

$s_0^7$	(0,0,0.17)
$s_1^7$	(0,0.17,0.33)
$s_2^7$	(0.17,0.33,0.5)
$s_3^7$	(0.33,0.5,0.67)
$s_4^7$	(0.5,0.67,0.83)
$s_5^7$	(0.67,0.83,1)
$s_6^7$	(0.83,1,1)

**TABLE 3 : The linguistic terms in the linguistic sets  $S^9$  and their corresponding triangular fuzzy numbers**

Linguistic terms	Triangular fuzzy numbers
$s_0^9$	(0,0,0.13)
$s_1^9$	(0,0.13,0.25)
$s_2^9$	(0.13,0.25,0.38)
$s_3^9$	(0.25,0.38,0.5)
$s_4^9$	(0.38,0.5,0.63)
$s_5^9$	(0.5,0.63,0.75)
$s_6^9$	(0.63,0.75,0.88)
$s_7^9$	(0.75,0.88,1)
$s_8^9$	(0.88,1,1)

**THE PROPOSED METHOD**

GRA method was originally developed by Deng<sup>[19-26]</sup> and has been widely used to solve the uncertainty problems under the discrete data and information incompleteness. In addition, GRA method is one of the very popular methods to analyze various relationships among the discrete data sets and make decisions in multiple attribute situations. The major advantages of the GRA method are that the results are based on the original data, the calculations are simple and straightforward, and, finally, it is one of the best methods to make decisions under business environment. A systematic approach to extend the GRA method to solve the MAGDM problems with multigranularity linguistic assessment information is proposed in this section.

Suppose that in a MAGDM problem, let  $A = \{A_1, A_2, \dots, A_m\}$  be a discrete set of alternatives,  $G = \{G_1, G_2, \dots, G_n\}$  be the set of attributes,  $D = \{D_1, D_2, \dots, D_p\}$  be the set of decision makers. Suppose that  $R_k = (r_{ij}^{t(k)}(k))_{m \times n}$  is the group decision making matrix, where  $r_{ij}^{t(k)}(k) \in S$  is a preference values, which take the form of linguistic of  $t(k)$  multigranularity linguistic assessment information set, given by the decision maker  $D_k \in D$ , for the alternative  $A_i \in A$  with respect to the attribute  $G_j \in G$ ,  $W^{(k)} = (w_1^{(k)}, w_2^{(k)}, \dots, w_n^{(k)})$  is the weighting vector of the attributes  $G_j (j = 1, 2, \dots, n)$  given by the decision maker  $D_k \in D$ , where  $w_j^{(k)} (j = 1, 2, \dots, n, k = 1, 2, \dots, p) \in S$  is a preference values, which take the form of linguistic variable of  $t(k)$  multigranularity linguistic assessment information set, given by the decision maker  $D_k \in D$  with respect to the attribute  $G_j \in G$ .

In the following, we shall utilize the GRA method to solve the MAGDM problems with multigranularity linguistic assessment information.

**Step 1.** According to Eq.(6), the linguistic assessment information  $r_{ij}^{t(k)}(k)$  and the weight of attribute  $w_j^{(k)}$  are expressed in triangular fuzzy numbers  $d_{ij}(k) = (d_{ij}^L(k), d_{ij}^M(k), d_{ij}^U(k))$  and  $v_j(k) = (v_j^L(k), v_j^M(k), v_j^U(k))$ . So, the matrix of multigranularity linguistic assessment information  $R_k = (r_{ij}^{t(k)}(k))_{m \times n}$  and  $W^{(k)}$  are unified into the matrix of triangular fuzzy numbers  $D_{ij}(k) (d_{ij}(k) = (d_{ij}^L(k), d_{ij}^M(k), d_{ij}^U(k)))$  and  $V(k) (v_j(k) = (v_j^L(k), v_j^M(k), v_j^U(k)))$ .

**Step 2.** Assuming that a decision group has  $p$  experts, then the weight of the attribute and the attribute values of alternatives with respect to each attribute can be calculated as.

$$d_{ij} = \frac{1}{p} (d_{ij}(1) \oplus d_{ij}(2) \oplus \dots \oplus d_{ij}(p)), v_j = \frac{1}{p} (v_j(1) \oplus v_j(2) \oplus \dots \oplus v_j(p)) \tag{7}$$

Where  $d_{ij}(k)$  and  $v_j(k)$  are the attribute values and the importance weight of the  $p$  th DM.

As stated above, a FMADM problem which can be concisely expressed in matrix format as

$$\tilde{D} = \begin{bmatrix} \tilde{d}_{11} & \tilde{d}_{12} & \dots & \tilde{d}_{1n} \\ \tilde{d}_{21} & \tilde{d}_{22} & \dots & \tilde{d}_{2n} \\ \vdots & \vdots & \dots & \vdots \\ \tilde{d}_{m1} & \tilde{d}_{m2} & \dots & \tilde{d}_{mn} \end{bmatrix}, \tilde{V} = [\tilde{v}_1, \tilde{v}_2, \dots, \tilde{v}_n]$$

Where  $\tilde{d}_{ij} = (d_{ij}^L, d_{ij}^M, d_{ij}^U)$  and  $\tilde{v}_j = (v_j^L, v_j^M, v_j^U)$  are triangular fuzzy numbers.

**Step 3.** Considering the different importance of each attribute, we can construct the weighted triangular fuzzy decision matrix as

$$\tilde{Y} = [\tilde{y}_{ij}]_{m \times n} = [\tilde{d}_{ij} \otimes \tilde{v}_j]_{m \times n}, i = 1, 2, \dots, m, j = 1, 2, \dots, n. \tag{8}$$

**Step 4.** Defining the fuzzy positive-ideal solution (FPIS,  $Y^+$ ) and fuzzy negative-ideal solution (FNIS,  $Y^-$ ) as

$$Y^+ = [\tilde{y}_1^+, \tilde{y}_2^+, \dots, \tilde{y}_n^+], Y^- = [\tilde{y}_1^-, \tilde{y}_2^-, \dots, \tilde{y}_n^-]$$

Where

$$\tilde{y}_j^+ = (\max_i y_{ij}^L, \max_i y_{ij}^M, \max_i y_{ij}^U), \tilde{y}_j^- = (\min_i y_{ij}^L, \min_i y_{ij}^M, \min_i y_{ij}^U).$$

**Step 5.** Calculating the fuzzy grey relational coefficient of each alternative from FPIS and FNIS using the following equation, respectively:

$$\xi_{ij}^+ = \frac{\min_{1 \leq i \leq m} \min_{1 \leq j \leq n} \|\tilde{y}_j^+ - \tilde{y}_{ij}^+\| + \rho \max_{1 \leq i \leq m} \max_{1 \leq j \leq n} \|\tilde{y}_j^+ - \tilde{y}_{ij}^+\|}{\|\tilde{y}_j^+ - \tilde{y}_{ij}^+\| + \rho \max_{1 \leq i \leq m} \max_{1 \leq j \leq n} \|\tilde{y}_j^+ - \tilde{y}_{ij}^+\|} \tag{9}$$

$$\xi_{ij}^- = \frac{\min_{1 \leq i \leq m} \min_{1 \leq j \leq n} \|\tilde{y}_{ij}^- - \tilde{y}_j^-\| + \rho \max_{1 \leq i \leq m} \max_{1 \leq j \leq n} \|\tilde{y}_{ij}^- - \tilde{y}_j^-\|}{\|\tilde{y}_{ij}^- - \tilde{y}_j^-\| + \rho \max_{1 \leq i \leq m} \max_{1 \leq j \leq n} \|\tilde{y}_{ij}^- - \tilde{y}_j^-\|} \tag{10}$$

Where the identification coefficient  $\rho = 0.5$ .

**Step 6.** Calculating the degree of fuzzy grey relational coefficient of each alternative from FPIS and FNIS using the following equation, respectively:

$$\xi_i^+ = \frac{1}{n} \sum_{j=1}^n \xi_{ij}^+, \xi_i^- = \frac{1}{n} \sum_{j=1}^n \xi_{ij}^-, i = 1, 2, \dots, m. \quad (11)$$

**Step 7.** Calculating the fuzzy relative relational degree of each alternative from FPIS using the following equation,

$$\xi_i = \xi_i^+ / (\xi_i^- + \xi_i^+), i = 1, 2, \dots, m. \quad (11)$$

**Step 8.** According to the fuzzy relative relational degree, the ranking order of all alternatives can be determined. If any alternative has the highest  $\xi_i$  value, then, it is the most important alternative.

### NUMERICAL EXAMPLE

In this section, we shall give a numerical example to show the multiple attribute group decision making problems for evaluating the brand extension of biological medicine enterprises with multigranularity linguistic information. There are five biological medicine enterprises to be evaluated the brand extension according to the following four attributes: (1) $G_1$  is the brand asset value; (2) $G_2$  is the relation between core brand and extensive product; (3) $G_3$  is the internal environment factors; (4) $G_4$  is the external environment factors. The five possible biological medicine enterprises  $A_i (i = 1, 2, \dots, 5)$  are to be evaluated using the multi-granularity linguistic term set by the three decision makers  $D_k (k = 1, 2, 3)$  under the above four attributes, and construct, respectively, the multi-granularity linguistic assessment information matrixes and attribute weight given by experts are shown as follows:

$$R_1 = \begin{bmatrix} s_3^5 & s_4^5 & s_1^5 & s_2^5 \\ s_4^5 & s_1^5 & s_4^5 & s_2^5 \\ s_3^5 & s_4^5 & s_0^5 & s_2^5 \\ s_2^5 & s_4^5 & s_1^5 & s_3^5 \\ s_3^5 & s_2^5 & s_4^5 & s_2^5 \end{bmatrix}, R_2 = \begin{bmatrix} s_5^7 & s_4^7 & s_6^7 & s_4^7 \\ s_4^7 & s_5^7 & s_3^7 & s_6^7 \\ s_3^7 & s_4^7 & s_6^7 & s_2^7 \\ s_5^7 & s_4^7 & s_5^7 & s_6^7 \\ s_4^7 & s_6^7 & s_3^7 & s_5^7 \end{bmatrix}, R_3 = \begin{bmatrix} s_6^9 & s_5^9 & s_3^9 & s_8^9 \\ s_4^9 & s_9^9 & s_3^9 & s_5^9 \\ s_6^9 & s_4^9 & s_7^9 & s_3^9 \\ s_5^9 & s_9^9 & s_3^9 & s_2^9 \\ s_8^9 & s_3^9 & s_7^9 & s_4^9 \end{bmatrix}$$

$$w(2) = [s_4^5 \quad s_1^5 \quad s_2^5 \quad s_3^5], w(1) = [s_6^7 \quad s_3^7 \quad s_5^7 \quad s_2^7], w(3) = [s_5^9 \quad s_8^9 \quad s_6^9 \quad s_3^9]$$

The proposed method is currently applied to solve this problem and the computational procedure is summarized as follows:

**Step 1.** Converting the linguistic evaluation (shown in TABLES 1-3) into triangular fuzzy numbers, and then, constructing the fuzzy decision matrix  $\tilde{X}$  and determining the fuzzy weight of each attribute as matrix  $\tilde{W}$ .

$$\tilde{X} = \begin{bmatrix} [0.600, 0.777, 0.960] & [0.583, 0.767, 0.860] & [0.360, 0.543, 0.667] & [0.543, 0.723, 0.860] \\ [0.543, 0.723, 0.820] & [0.473, 0.653, 0.833] & [0.443, 0.627, 0.723] & [0.527, 0.710, 0.833] \\ [0.487, 0.667, 0.850] & [0.543, 0.723, 0.820] & [0.527, 0.627, 0.750] & [0.223, 0.403, 0.583] \\ [0.473, 0.653, 0.833] & [0.667, 0.850, 0.943] & [0.307, 0.487, 0.667] & [0.487, 0.667, 0.793] \\ [0.627, 0.807, 0.943] & [0.443, 0.627, 0.750] & [0.610, 0.793, 0.890] & [0.433, 0.610, 0.793] \end{bmatrix}$$

$$\tilde{W} = \begin{bmatrix} [0.367, 0.487, 0.592] & [0.370, 0.492, 0.564] & [0.306, 0.427, 0.519] & [0.307, 0.426, 0.529] \end{bmatrix}$$

**Step 2.** Constructing the weighted triangular fuzzy decision matrix as  $\tilde{Y}$ .

$$\tilde{Y} = \begin{bmatrix} [0.220, 0.378, 0.569] & [0.216, 0.377, 0.485] & [0.110, 0.232, 0.346] & [0.167, 0.308, 0.455] \\ [0.199, 0.352, 0.486] & [0.175, 0.322, 0.470] & [0.135, 0.267, 0.375] & [0.162, 0.302, 0.441] \\ [0.178, 0.324, 0.503] & [0.201, 0.356, 0.463] & [0.161, 0.267, 0.389] & [0.068, 0.172, 0.309] \\ [0.174, 0.318, 0.494] & [0.247, 0.418, 0.532] & [0.094, 0.208, 0.346] & [0.149, 0.284, 0.420] \\ [0.230, 0.393, 0.559] & [0.164, 0.308, 0.423] & [0.186, 0.338, 0.462] & [0.133, 0.260, 0.420] \end{bmatrix}$$

**Step 3.** Determining FPIS and FNIS as:

$$\tilde{Y}^+ = \begin{bmatrix} [0.230, 0.393, 0.569] & [0.247, 0.418, 0.532] & [0.186, 0.338, 0.462] & [0.167, 0.308, 0.455] \end{bmatrix}$$

$$\tilde{Y}^- = \begin{bmatrix} [0.174, 0.318, 0.486] & [0.164, 0.308, 0.423] & [0.094, 0.208, 0.346] & [0.068, 0.172, 0.309] \end{bmatrix}$$

**Step 4.** Calculating the fuzzy grey relational coefficient of each biological medicine enterprise from FPIS and FNIS

$$\xi^+ = (\xi_{ij}^+)_{5 \times 4} = \begin{bmatrix} 0.864 & 0.615 & 0.389 & 1.000 \\ 0.534 & 0.451 & 0.475 & 0.874 \\ 0.509 & 0.517 & 0.515 & 0.333 \\ 0.482 & 1.000 & 0.360 & 0.707 \\ 0.919 & 0.388 & 1.000 & 0.619 \end{bmatrix}, \xi^- = (\xi_{ij}^-)_{5 \times 4} = \begin{bmatrix} 0.498 & 0.512 & 0.792 & 0.333 \\ 0.723 & 0.690 & 0.586 & 0.349 \\ 0.851 & 0.607 & 0.527 & 1.000 \\ 0.934 & 0.388 & 1.000 & 0.386 \\ 0.484 & 1.000 & 0.360 & 0.417 \end{bmatrix}$$

**Step 5.** Calculating the degree of fuzzy grey relational coefficient of each biological medicine enterprise from FPIS and FNIS

$$\xi_1^+ = 0.717, \xi_2^+ = 0.584, \xi_3^+ = 0.469, \xi_4^+ = 0.637, \xi_5^+ = 0.731$$

$$\xi_1^- = 0.501, \xi_2^- = 0.450, \xi_3^- = 0.341, \xi_4^- = 0.517, \xi_5^- = 0.502.$$

**Step 6.** Calculating the fuzzy relative relational degree of each biological medicine enterprise from FPIS

$$\xi_1 = 0.589, \xi_2 = 0.565, \xi_3 = 0.579, \xi_4 = 0.552, C_5 = 0.593.$$

**Step 7.** According to the fuzzy relative relational degree, the ranking order of the five alternatives is:  $A_5 \succ A_1 \succ A_3 \succ A_2 \succ A_4$ . Thus, the most desirable biological medicine enterprise is  $A_5$ .

### CONCLUSION

In this paper, we study on the multiple attribute group decision making problems for evaluating the brand extension of biological medicine enterprises with multigranularity linguistic information. Firstly, the multigranularity linguistic information is transformed into triangular fuzzy numbers. Then, we extend the grey relational analysis (GRA) procedure for multiple attribute group decision making with multigranularity linguistic information. According to the concept of the GRA, a fuzzy relative relational degree is defined to determine the ranking order of all alternatives by calculating the degree of fuzzy grey relational coefficient to both the fuzzy positive-ideal solution (FPIS) and fuzzy negative-ideal solution (FNIS) simultaneously. Finally, an example for evaluating the brand extension of biological medicine enterprises is given to show the feasibility and effectiveness of the proposed method.

### ACKNOWLEDGEMENT

The work was supported by the Humanities and Social Sciences Foundation of Ministry of Education of the People's Republic of China (No.10XJA630008).

## REFERENCES

- [1] L.A.Zadeh; The concept of a linguistic variable and its application to approximate reasoning, Part 1-3, *Information Sciences* **8**, 199-249 (1975).
- [2] L.A.Zadeh; A computational approach to fuzzy quantifiers in natural languages, *Computers and Mathematics with Applications*, **9**, 149-184 (1983).
- [3] F.Herrera; A sequential selection process in group decision making with linguistic assessment, *Information Sciences*, **85**, 223-239 (1995).
- [4] F.Herrera, E.Herrera-Viedma, J.L.Verdegay; A model of consensus in group decision making under linguistic assessments, *Fuzzy Sets and Systems*, **78**, 73–87 (1996).
- [5] L.A.Zadeh, J.Kacprzyk; Computing with words in information/intelligent systems-Part 1: Foundations: Part 2: Applications, (Physica-Verlag, Heidelberg), **1**, (1999).
- [6] F.Herrera, E.Herrera-Viedma; Linguistic decision analysis: Steps for solving decision problems under linguistic information, *Fuzzy Sets and Systems*, **115**, 67-82 (2000).
- [7] F.Herrera, E.Herrera-Viedma, L.Martínez; A fusion approach for managing multi-granularity linguistic term sets in decision making, *Fuzzy Sets and Systems*, **114**, 43-58 (2000).
- [8] F.Herrera, L.Martínez; A 2-tuple fuzzy linguistic representation model for computing with words, *IEEE Transactions on Fuzzy Systems*, **8**, 746-752 (2000).
- [9] F.Herrera, L.Martínez; An approach for combining linguistic and numerical information based on 2-tuple fuzzy linguistic representation model in decision-making, *International Journal of Uncertainty, Fuzziness, Knowledge-Based Systems*, **8**, 539- 562 (2002).
- [10] Z.S.Xu; A note on linguistic hybrid arithmetic averaging operator in multiple attribute group decision making with linguistic information, *Group Decision and Negotiation*, **15**(6), 593-604 (2006).
- [11] Z.S.Xu; A method based on linguistic aggregation operators for group decision making with linguistic preference relations, *Information Sciences*, **166**(1), 19-30 (2004).
- [12] Z.P.Fan, B.Feng, Y.H.Sun, W.Ou; Evaluating knowledge management capability of organizations: A fuzzy linguistic method, *Expert Systems with Applications*, **36**(2), 3346-3354 (2009).
- [13] G.W.Weï, R.Lin; Method of grey relational analysis for multiple attribute group decision making based on two-tuple linguistic information, *Systems Engineering and Electronics*, **30**(9), 1686-1689 (2008).
- [14] G.W.Weï; Two-tuple linguistic multiple attribute group decision making with incomplete attribute weight information, *Systems Engineering and Electronics*, **30**(2), 273-277 (2008).
- [15] X.W.Liao, Y.Li, G.M.Dong; A multi-attribute group decision-making approach dealing with linguistic assessment information, *System Engineering-Theory & Practice*, **26**(9), 90-98 (2006).
- [16] P.J.M.Van Laarhoven, W.Pedrycz; A fuzzy extension of saaty's priority theory, *Fuzzy Sets and Systems*, **11**, 229-241 (1983).
- [17] C.T.Chen; Extension of the Topsis for group decision-making under fuzzy environment, *Fuzzy Sets and Systems*, **114**, 1-9 (2000).
- [18] Y.P.Jiang, Z.P.Fan; Theory and methods for decision making based on judgement matrix, Beijing: Science Press, (2008).
- [19] J.L.Deng; Introduction to grey system, *The Journal of Grey System(UK)*, **1**(1), 1-24 (1989).
- [20] J.L.Deng; The basic methods of grey system, Wuhan: press of Huazhong University of Technology, (in Chinese), (1988).
- [21] J.L.Deng; Grey system theory, Wuhan: press of Huazhong University of Science & Technology, (2002).
- [22] S.F.Liu, T.B.Guo, Y.G.Dang; Grey system theory and its application(Second Edition), Beijing: Science Press, 26-29 (1999).
- [23] S.F.Liu, Y.Lin; An introduction to grey systems: foundations, methodology and applications, Slippery Rock: IIGSS Academic Publisher, 120-1 55 (1998).
- [24] Xuyang Li, Guiwu Wei; GRA method for multiple criteria group decision making with incomplete weight information under hesitant fuzzy setting, *Journal of Intelligent and Fuzzy Systems*, **27**, 1095-1105 (2014).
- [25] Guiwu Wei, Hongjun Wang, Rin Lin, Xiaofei Zhao; Grey relational analysis method For intuitionistic fuzzy multiple attribute decision making with preference information on alternatives, *International Journal of Computational Intelligence Systems*, **4**(2), 164-173 (2011).
- [26] Guiwu Wei; Grey relational analysis model for dynamic hybrid multiple attribute decision making, *Knowledge-based Systems*, **24**(5), 672-679 (2011).