

EURO BIOTECHNOLOGY 2018: Dairy Effluent conversion into biofertilizer using tailor made microbial consortium - Shaon Ray Chaudhuri - Tripura University, India

Shaon Ray Chaudhuri

Tripura University, India,

E-mail: shaonraychaudhuri@triprauniv.in

Abstract

Statement of the Problem: Dairy industry generates 3m3 of effluent per m3 of processed milk which comes mostly from the cleaning process that uses fresh water. The effluent is nutrient rich and can cause an environmental problem unless properly treated. The conventional treatment is tedious, energy intense, cost ineffective. Adopting this technology is a burden for the larger establishments and crippling for the small-scale installations. Hence technologies are sought to make the process of effluent treatment eco-friendly and economically viable. Methodology & Theoretical Orientation: Tailor-made consortium was developed for conversion of the nitrogenous waste in dairy effluent into ammonia. The process was carried out using biofilm bioreactors in order to ensure one-time bacterial charging with continued performance. The process was scaled to industrial scale (more than 5000 liters). The treated effluent was used for field trial and pot trial for the cultivation of economic crops as per standard procedure. Findings: Tailor-made microbial consortium produced ammonia from dairy effluent at a rate of 1.66x10-4 mol s-1 within 1 hour of incubation in a biofilm bioreactor at 37oC with highest production at 16th hours of incubation (56.81mg/100ml) demonstrating 95.7% ammonia production with 72.3% nitrate and a concomitant 33.2% phosphate reduction from an initial load of 32-270ppm nitrate and 15-40ppm phosphate respectively with 82.55% BOD reduction in 16th hour, as compared with 66.6% in 48 hours through constructed wetlands. The treated effluent increased biomass in case of mung bean (Mb) and Sorghum Sudan grass; decreased root nodulation while enhanced seed yield with improved protein and carbohydrate content in Mb while providing protection from aphid infestation. This treated effluent significantly enhance the basal diameter and fiber yield in case of Ramie, a plant of immense economic value. It could also enhance production in the case of potato, hence functioning as a biofertilizer. This approach enables the conversion of effluent into a by-product of immense economic value hence making the process of dairy effluent treatment self-sustainable. The process was scalable from 1liter to more than 5000 liters for treating actual dairy effluent with associated field trial.

This work is partly presented at Joint Event on 24th Biotechnology Congress: Research & Innovations & Annual Congress on CRISPR Cas9 Technology and Genetic Engineering on October 24-25, 2018 held in Boston, USA.