

## Food Pathogenic Actions

**Prameeth Kumar M\***

Department of Pharmaceutics, Production Department, Jawaharlal Nehru Technological University, Hyderabad, India

**\*Corresponding author:** Prameeth Kumar M, Department of Pharmaceutics, Production Department, Jawaharlal Nehru Technological University, Hyderabad, India Tel: 9000654664, Email: prameethchandra@gmail.com

**Received:** February 14, 2017; **Accepted:** March 28, 2017; **Published:** April 06, 2017

### Abstract:

Nourishment defilement is a significant issue identified with general wellbeing as it causes awesome bleakness. Thus, there is a need to create elective protection techniques ready to give a superior and more secure nature of nourishment from a microbiological and toxicology perspective. Hence common preservationists will have a critical part sooner rather than later. Confronted with this reality the examination of antimicrobial peptides which have action against vital pathogenic microorganisms in sustenance stays promising and is the concentration of progressing exploration. Despite the fact that there is some learning about these peptides, numerous perspectives related with structure and capacity, biosynthesis and method of activity stay obscure.

**Keywords:** Plants; Pectin; Hydrophobic; Pathogens; Chemical properties; Color; Glycan

### Introduction

Pectin has numerous vital capacities in plants. It adds to the auxiliary honesty and mechanical quality of the tissue by framing a hydrated cross-connected three-dimensional organize [1]. Pectin additionally assumes an essential part in the physical and tangible properties of new products of the soil (readiness and surface) and adds to their handling attributes in canned items, purees, and squeezes [2]. Financially, pectin has wide applications in both the sustenance and pharmaceutical businesses, where it goes about as gelling and thickening specialists keeps the development of gooey drain layer in gelled drain dessert, what's more [3] controls the thickness and mouth-feel of organic product drink powder when the powder is disintegrated in chilly water. Also, pectin has demonstrated to effects affect human wellbeing [4]. Since the last some portion of the previous century, molds (organisms and yeast) have turned out to be progressively perceived for their therapeutic significance [5]. An interesting trademark that isolates growths from different pathogens is its cell film containing ergo sterol and cell divider containing chitin [6], glycan and mannose. The form spores, most critical to this examination, have thick melodized dividers which as a rule contain complex starches that are hydrophobic and waxy [7]. The parasitic spores are regularly scattered in the wind, influencing the air we inhale, and possibly attacking our bodies through the respiratory framework [8]. Airborne organisms have been known to bring about unfavorably susceptible responses and asthma in solid people [9]. In any case, for an immune compromised individual similar parasites may have results that are much more genuine. Immune compromised people have lost the capacity to battle off the pathogens, and with the principle portal for irresistible parasites like

Aspergilla's being inward breath [10], pioneering diseases are promptly encouraged, underscoring the restorative significance of contagious reviews, for example, this one [11]. Parasitic diseases are additionally a worry on the grounds that there is as of now no inoculation or prophylactic treatment accessible [12].

In 2012, the US Food and Drug Administration (FDA) and Center for Disease control and Prevention (CDC), discharged the discoveries of a multistate examination [13]. Concerning a flare-up of parasitic meningitis and different contaminations among patients who got polluted steroid infusions conveyed straightforwardly into the spine [14]. Parasitic species including Aspergilla's tubingenesis, Aspergilla's fumigates, Cladosporium and Penicillium species were found to have sullied the unopened vials of betamethasone, cardioplegia, and triamcinolone arrangements [15].

## **Nourishment**

FBD flare-ups result in an extensive number of wiped out individuals and the "review" of nourishment items (withdrawal and substitution bunches of polluted sustenance items [16]. can diminish customer certainty, diminishing the interest for these items bringing about noteworthy monetary misfortunes for all parts of the store network [17]. Thusly, it is essential to secure the sustenance and shopper wellbeing by receiving great nourishment conservation procedures [18]. Along these lines, it is of essential significance, the scan for normal substances that show particular antimicrobial exercises and, most importantly, that convey elective components of activity accessible to the concoction additives [19]. Among these substances, antimicrobial peptides (AMPs) rose as a fascinating option, since its demonstration by components whereby pathogens may scarcely create resistance [20-25]. Likewise, the AMPs have high specificity to their objective cell and can be utilized as a part of mix with other antimicrobial specialists. The AMPs are viewed as an essential piece of inborn resistance and the primary line of guard against attacking microorganisms [26-30]. The greater parts of these AMPs are cationic and hydrophobic and follow up on the cytoplasmic film of target cells, bringing about them passing. Be that as it may, some of these AMPs have other target locales of activity, for example, cell divider, hydrolyzing it [30-35].

## **Food Packaging**

The kind of sustenance bundling utilized likewise assumes a critical part in HPT [36]. At present, a few unique sorts of bundling are being used for HPT, similar to plastic stomacher sacks, sterile tubes, polyester tubes, polyethylene pockets, nylon cast polypropylene pockets and different other adaptable pocket frameworks, the physical and mechanical properties of the material incredibly impacts the adequacy of HPT on the sustenance material [37-40]. The bundles must be able to keep any disintegration in the item quality amid HPT and magnificent coordination ought to be connected to disperse the weight treated items. Nourishments to be dealt with by HPT might be either mass or exclusively (buyer) bundled before or after (direct) preparing [40-45]. He additionally expressed that the nearness of headspace must be kept as little as conceivable in light of the fact that air and different gasses are compacted to zero volume under high weight, leaving misshaping strains on the bundles [46-48]. Subsequently, each bundle ought to be tried for allowable headspace since headspace can't be kept away from in pragmatic circumstances. Film obstruction properties and auxiliary attributes of polymer based bundled material were influenced when treated at 400 MPa for 30 min at 25°C temperature [49-55].

Just about 90% of corn, soybeans and cotton developed in the United States are created from hereditarily altered seeds (GMO). Since such a large number of sustenance's contain high-fructose corn syrup, corn-starch or soybean oil items, GMO marking will be a gigantic errand and have wide effect on nourishment producers, nourishment ventures and shoppers among others. GMO sustenance generation is a framework that frequently incorporates the utilization of herbicide resistance seeds

and broad utilization of particular herbicides to slaughter all plants and weeds aside from the GMO trim. It is these herbicides that raise a few worries among the customers, naturalists, and protectionist [56-60].

The post-preparing tainting is one of the significant reasons for foodborne sickness and the related nourishment item reviews; a noteworthy general medical problem and a monetary weight for the sustenance business [61-62]. In this way, post-handling antimicrobial intercessions are picking up centrality so as to control the development of microscopic organisms that defile the sustenance item after the essential deadly treatment. Bundling of sustenance is one of the last strides in nourishment handling before capacity and utilization and hence is a basic stride for joining antimicrobial systems particularly to control the post-preparing defilement [62-65]. Antimicrobial bundling is a promising type of dynamic bundling to enhance wellbeing and timeframe of realistic usability of sustenance items. In antimicrobial bundling, specialists might be covered, joined, immobilized, or surface changed onto bundling materials [65-68]. Many mixes, for example, natural acids, bacteriocins, compounds, flavors and polysaccharides (chitosan) have been attempted in antimicrobial bundling with shifting level of achievement [68-70].

## **Conclusion**

The consequences of the review recommend that zones with high vegetation or nearness of vegetables had the most noteworthy airborne shape checks. Indoor ventilated areas, routinely cleaned, and very much looked after structures [71-73]. demonstrated the most reduced form checks. Despite the fact that the discoveries of this review did not decide the nearness of irresistible airborne shape spores at basic sickness bringing about levels, various areas around St. Kitts yielded spore tallies sufficiently high to be resolved inadmissible conditions for the immune-compromised individual [74-76]. This review ought to end up noticeably an antecedent model to catch up studies observing air quality with the end goal of guaranteeing that the air we inhale contains an insignificant level and amount of form [77-78]. Such reviews would add to a more beneficial populace on St. Kitts and somewhere else, and help avoid conceivable related malady, especially among more powerless people or those with hypersensitivities to high shape number noticeable all around [78-82]. Also, it is imperative to know about form check to guarantee additional safety measures for legitimate nourishment safeguarding, as even sustenance stuffs kept in fridges end up noticeably rotten if not immediately expended [83-85].

Verification recommends that ladies' hormones are sensitive to imperativeness openness, suggesting that too much couple of calories or starch can realize clumsy nature [86-87]. Such uneven characters can have exceptional outcomes, including crippled wealth, low slant and even weight get. In any case, most verification prescribes these effects are generally observed just in ladies on a whole deal, low-starch eat less carbs (under 50 g for consistently). Everyone is particular, and the perfect starch utilization changes fundamentally between individuals [88-90]. There is no one size-fits-all course of action in sustenance. A couple people work best on a low-sugar consume fewer calories, while others work best on a direct to high-starch slim down. To comprehend what works best [91-93].

The relative high scores of delicacy and Juiciness in the example with substitution levels 15% might be because of high water official of these specimens. Judge et al. [94-95] showed that huge numbers of the physical property of meat incorporate shading; surface and solidness of crude meat, Juiciness and delicacy of cooked meat are somewhat subject to WHC. What's more, say that the segment of water present in free shape and the capacity of meat to tie water and components that expansion this capacity will expand succulence [96-100].

## REFERENCES

1. Kapica C, Weiss W. Canned Fruits, Vegetables, Beans and Fish Provide Nutrients at a Lower Cost Compared to Fresh, Frozen or Dried. *J of Nutritional Food Sci.* 2012;2:131.
2. Aldasoro M. Healthy Nutrition, Phytonutrients and Alzheimer's disease. *J nutr disorders Ther.* 2011;1:e102.
3. Bjørklund G and Chart and M. Nutritional and Environmental Influences on Autism Spectrum disorder. *J Nutr Disorders Ther.* 2016;6:e123.
4. Nasser I. Role of Protein-Based Food (PBF) in Combating Under nutrition; Milk and Eggs as an Example. *J Nutr Disorders Ther.* 2016;6:184.
5. Hayes CR and Carbone ET. Food Justice: What is it? Where has it been? Where is it going? *J Nutr Disorders Ther.* 2015;5:179.
6. Danasekaran R. Probiotics as Dietary Supplements in Maintaining Health. *J Food Nutr Disor.* 2014;S1-006.
7. Sachithanathan V. Nutritional Status, Dietary Profile and Selected Lifestyle Attributes of Adolescents and Early Adults in Benghazi, Libya. *J Nutr Food Sci.* 2013;2:3.
8. Shridhar G. Modern Diet and its Impact on Human Health. *J Nutri Disorders Ther.* 2015;5:430.
9. Aslam MN and Varani J. The Western-Style Diet, Calcium Deficiency and Chronic Disease. *J Nutr Food Sci.* 2016;6:496.
10. Agarwal A. Nutrition Disorders. *J Nutri Disorders Ther.* 2015;S1:e001.
11. Daradkeh G. Dietary Habits and Intakes Associated with Obesity and Overweight among Adolescents in the State of Qatar. *J Nutri Disorders Ther.* 2015;S1:005.
12. Jain S and Singh SN. Calorie Restriction - An Approach towards Obesity Management. *J Nutri Disorders Ther.* 2015;S1:006.
13. Agarwal A. Childhood Obesity. *J Nutri Disorders Ther.* 2015;5:e122.
14. Lee K. Body Composition and Metabolic Risk Variables for Obesity in Korean Healthy Women. *J Nutri Disorders Ther.* 2015;5:167.
15. Seike K.. Questionnaire Survey for Assessing the Present Condition of Children with Eating Disorders in Japanese Schools. *Health Edu Resc Dev.* 2016;4:163.
16. Sadeh-Sharvit S. The Impact of Maternal Eating Disorders and Spousal support on Neurodevelopmental Trajectories in their Toddlers. *J Eating Disorders.* 2015;1:102.
17. Compte EJ and Duthu F. Eating Disorders are Still Considered to be a Female Psychopathology? *Int J Emerg Ment Health.* 2015;17:570-572.
18. Lundblad S. Affect-Group Intervention for Alexithymia in Eating Disorders. *Int J Emerg MentHealth.* 15;17:219-223.
19. Mahmood A and Bibi Z. Eating Disorders among MBA Students in a Business School of Karachi. *J Nutr Food Sci.* 2014;4:309.
20. Giner-Bartolome C. The Influence of Personality Traits on Emotion Expression in Bulimic Spectrum Disorders: *Eur Eat Disorder Review.* 2016;24:320-328.
21. Ristic-Medic D and Vucic V. Dietary Fats and Metabolic Syndrome. *J Nutri Food Sci.* 2013;1:8
22. Harrison K and Cantor J. The relationship between media consumption and eating disorders. *J Comm.* 1997;47:40-67.

23. Khalaf A. Undernutrition Risk, Overweight/Obesity, and Nutritional Care in Relation to Undernutrition Risk among Inpatients in Southwestern Saudi Arabia. A Hospital- Based Point Prevalence Study. *J Nutri Disorder Ther.* 2011;1:104.
24. Rastmanesh R and Gluck ME. Food Offerings: A Major Factor Impeding Adherence with Weight Loss Diets in Overweight and Obese Individuals. *J Nutri Disorder Ther.* 2013;3:122.
25. Simovska VP. Effects of Diet and Physical Activity in an Integrated CVD and T2DM Prevention at High Risk Abdominal Obese Individuals. *J Nutri Disorder Ther.* 2013;3:e108.
26. Amianto F. Depressive and Anxiety Symptoms in the Outcome of Eating Disorders: 8-Year Follow-Up. *J Depr Anxiety.* 2014;S2:007.
27. Timofeeva E and Calvez J. Neuronal Substrate of Eating Disorders. *Brain Disorder Ther.* 2014;3:121.
28. DeBate RD. Psychosocial and Skill-based Differences between Dental and Dental Hygiene Students Regarding Secondary Prevention of Eating Disorders. *J Dent oral Hygiene.* 2014;2:123.
29. Edmonds RG. A New generation of Eating Disorders-Not only for girls. *J psychiatry.* 2012.
30. Freeman. Eating Disorders in Males: A Review. *J Psychiatry.* 2005;8:58-64.
31. Faghri P and Mignano C. Overweight and Obesity in High Stress Workplaces. *J Nutri Disorder Ther.* 2013;3:e110.
32. Monell E. Emotion dysregulation, self-image and eating disorder symptoms in University Women. *J Eat Disorder.* 2015;3:44.
33. Al-Agha A. Does Infant's Feeding Contribute to Childhood Obesity?. *J Nutri Disorder Ther.* 2015;5:168.
34. Faghri P and Buden J. Health Behavior Knowledge and Self-efficacy as Predictors of Body Weight. *J Nutri Disorder Ther.* 2015; 5:169.
35. Napples L. Obesity and its Therapy: A Short Review. *J Nutri Disorder Ther.* 2015;5:170.
36. Samadi M. Green Coffee Bean Extract as a Weight Loss Supplement. *J Nutri Disorder Ther.* 2015;5:180.
37. Faghri PD and Budden J. Overtime, Shift Work, Poor Sleep and the Effects on Obesity: A Public Health Problem. *J Nutri Disorder Ther.* 2016;6:e126.
38. Lemon TI. 2,4 Dinitrophenol-A Danger for Patients with Drug Use Issues and Eating Disorders Alike. *J Sports Med Doping Stud.* 2013;3:121.
39. Frugé AD I. Associations between Obesity, Body Fat Distribution, Weight Loss and Weight Cycling on Serum Pesticide Concentrations. *J Food Nutri.Disorder.* 2016;5:3.
40. Nivedita N. Oxidative stress and abnormal lipid profile are common factors in students with eating distress. *J Eat Disorder.* 2015;3:42.
41. Golden NH. Eating disorders in adolescents. *J Adolescent Health.* 2003;33:496-503.
42. Gritti A. Subject at Risk for Eating Disorders: Study of a Population of Children Aged between 8 and 13 Years. *J Nutri Disorder Ther.* 2016;5:3.
43. Hoek HW and Hoeken Van D. Review of the prevalence and incidence of eating disorders. *J Food Nutr Disorder.* 2003;34: 383-396.
44. Le KDL. Systematic review and meta-analysis of preventive interventions for eating disorders. *J Eat Disorder.* 2015;3:035.
45. Murray SB. Evolving eating disorder psychopathology: conceptualising muscularity-oriented disordered eating. *J Psychiatry.* 2016;208:414-415.

46. Mulkerrin U. How well does Anorexia Nervosa fit with personal values?. An exploratory study. *J Eat Disorder*. 2016.
47. Foagarty S and Ramjan LM. Factors impacting treatment and recovery in Anorexia Nervosa: qualitative findings from an online questionnaire. *J Eat Disorder*. 2016;4:18.
48. Parente ÉB. The Effects of High-Fat or High-Carbohydrate Diet on Intramyocellular Lipids. *J Food Nutri Disorder*. 2014;3:6.
49. Stuart AR. Eating Disorders, Exercise Dependence and Body Image Dissatisfaction in Female Age Group Ironman Triathletes. *J Food Nutri Disorder*. 2015;4:4.
50. Higgins MK. Factors associated with self-identification of an eating disorder history among latinas meeting criteria for past or current eating disorders. *Int J of eat Disorder*. 2016.
51. Cooper Z and Fairburn C. The eating disorder examination: A semi-structured interview for the assessment of the specific psychopathology of eating disorders. *Int J eat Disorder*. 1987;6:1-8.
52. Alissa EM. Relationship between Diet Habits and Adiposity Measures among Medical and Para-Medical Students. *J Food nutri Disorder*. 2015;4:5.
53. Chakraborty K, Basu D. Management of anorexia and bulimia nervosa: An evidence-based review. *J Psychiatry*. 2010;52:174-186.
54. Worobey J. Preventing Infant Obesity - It's Never too Soon to Start. *J Food Nutri Disorder*. 2013;2:1.
55. Payne AJ. Effect of Environmental Factors on Obesity: A Quantile Regression Approach. *J Biom Biostat*. 2016;7:293.
56. Harris A. Obesity-related Dietary Behaviours among Racially and Ethnically Diverse Pregnant and Postpartum Women. *J Pregnancy*. 2016;3:238.
57. Colombo R. Overweight-Obesity Prevalence in Children of North-West Italy: Efficacy of Counseling. *J Gastrointest Dig Sys*. 2015;5:337.
58. Ward A. Follow-up mortality study of compulsorily treated patients with anorexia nervosa. I *J Eat Disorder*. 2016;49:435.
59. Paolo B. No Risk of Anorexia Nervosa in Young Rhythmic Gymnasts: What are the Practical Implications of what is Already Know?. *J Nutri Disorder Ther*. 2013;3:e115.
60. Goh Kye HR. A Case Series Investigation between Transaminitis and the Improvement in Body Mass Index Trend among Patients with Anorexia Nervosa and Eating Disorder not Otherwise Specified of the Anorexia Nervosa Type. *Nutri Hospitalaria*. 2015;2:3.
61. Miguelsanz MJM. Nutritional approach of inpatients with anorexia nervosa. *Nutri Hospitalaria*. 2016;33:258.
62. Morris J and Twaddle S. Anorexia nervosa. *J Nutri Disorder Ther*. 2007;334:894-898.
63. Sidiropoulos M. Anorexia Nervosa: The physiological consequences of starvation and the need for primary prevention efforts. *J Medicine*. 2007;10:20-25.
64. Bora E and Kose S. Meta-analysis of theory of mind in anorexia nervosa and bulimia nervosa: A specific Impairment of cognitive perspective taking in anorexia nervosa?. I *J Eat Disorder*. 2016.
65. Filla C. Self-Reported Changes in Weight, Food Intake, and Physical Activity from High School to College. *J Nutri Disorder Ther*. 2013;3:129.
66. Tetzlaff A. Family Functioning in Adolescents with Binge-Eating Disorder. *Eur Eat Disord. Rev*. 2016.

67. Carpenter CL. Food Addiction: Cause or Consequences of Obesity. *J Nutri Food Sci.* 2012;2:e110.
68. Campbell SC and Gotthardt JD. Sensing Fat in the Diet: Implications for Obesity Outcomes. *J Nutri Food Sci.* 2012;2:e115.
69. Roongpisuthipong C. Effect of Egg Consumption in Overweight and Obese Hypercholesterolemic Women. *J Nutri Food sci.* 2012;2:163.
70. Turconi G. Home Environment and Children Obesity: What a Parent has to Do?. *J Nutri Food sci.* 2013;3:e118.
71. Rausch R. Nutrition and Academic Performance in School-Age Children The Relation to Obesity and Food Insufficiency. *J Nutri Food sci.* 2013;3:190.
72. Kamanemi S. MicroRNA Regulated Macrophage Activation in Obesity. *J Nutri Food sci.* 2013;3:217.
73. Alemu E. Prevalence of Overweight and/or Obesity and Associated Factors among High School Adolescents in Arada Sub city, Addis Ababa, Ethiopia. *J Nutri Food sci.* 2014;4:261.
74. Kristensen NB and Pedersen O. Targeting Body Weight Regulation with Probiotics: A Review of Randomized Trials in Obese and Overweight People Free of Co-morbidities. *J Nutri Food sci.* 2015;5:422.
75. Chia M. Obesity and Disordered Eating in Youth-Discernment and Sensitivity are Required. *J Obes Eat Disorder.* 2015.
76. Marks R. Sleep, Disturbances of Sleep, Stress and Obesity: A Narrative Review. *J Obes Eat Disorder.* 2015;2:2.
77. Lopez-Hernandez D. Support the Research in the Field of Obesity, Eating Disorders and Weight Management. *J Obes Eat Disorder.* 2015;1:1.
78. Marks R. Knee Osteoarthritis, Obesity and Exercise Therapy-A Complex Issue. *J Obes Eat Disorder.* 2016;2:2.
79. Sagna Y, et al. Obesity and Metabolic Syndrome in a Burkina Faso Urban Area: Prevalence, Associated Factors and Comorbidities. *J Nutri Disorder Ther.* 2014;4:141.
80. Wassie MM. Weight Gain and Associated Factors among Adult Tuberculosis Patients on Treatment in Northwest Ethiopia: A Longitudinal Study. *J Nutri Disorder Ther.* 2014;4:143.
81. Huffman FG. Obesity Indicators and C - reactive Protein in African and Haitian Americans with and without Type 2 Diabetes. *J Nutri Disorder Ther.* 2014;4:145.
82. Faghri P. Sedentary Lifestyle, Obesity, and Aging: Implication for Prevention. *J Nutri Disorder Ther.* 2015;5:e119.
83. Mohamed SM. Childhood Obesity: Epidemiology, Determinants, and Prevention. *J Nutri Disorder Ther* 2015;5:156.
84. Gebremichael B and Chere A. Prevalence of Childhood Overweight and Obesity and its Determinant Factors Among Elementary School Children in Addis Ababa, Ethiopia: A Cross Sectional Study. *J Nutrit Disorder Ther.* 2015;S1:002.
85. Alzaheb R. The Crisis of Obesity. *J Nutri Disorder Ther.* 2015;S1:004.
86. Spitzer R. Binge eating disorder: Its further validation in a multisite study. *I J Eat Disorder.* 1993;13:137-153.
87. Andrade JC. Factors Associated with Hypertension and Overweight in Metallurgical Workers: A Cross-Sectional Study. *J Food Nutri Disorder.* 2015;4:1.
88. Demori I and Grasselli E. Stress-Related Weight Gain: Mechanisms Involving Feeding Behavior, Metabolism, Gut Microbiota and Inflammation. *J Nutri Food Sci.* 2016;6:457.
89. Da Silva WAM. The Cognitive Function of Wistar Rats Subjected to Cafeteria Diet and to Chronic Stress. *J Obes Eat Disorder.* 2016;2:12.

90. Coelho RCLA. If Obese Patients Overeat sometimes, their Adherence will Last Longer: The Controlled Overeat. *J Obes Eat Disorder*. 2016;2:1.
91. Melnyk S. Effect of Obesity on Serum Vitamin D Metabolites Using Obese Zucker Rat Model. *Vit Min*. 14;3:122.
92. Rutkow L. What Motivates Stakeholder Groups to Focus on Childhood Obesity Prevention Policies?. *J Childhood Obes*. 2016;1:2.
93. Radnitz C. Optimal Defaults in the Prevention of Pediatric Obesity: From Platform to Practice. *J Food Nutri Disorder*. 2013;2:5.
94. Freeland-Graves JH and Tabbakh T. Effective Strategies for Obesity Prevention in Underserved at-Risk Groups. *J Food Nutri Disorder*. 2012;1:1.
95. Campbell SC. Obesity, Intestinal Inflammation, and Antioxidant Bioavailability. *J Nutri Food sci*. 2012;2:102.
96. Wang W. Weight Control, Endocrine Hormones, and Cancer Prevention. *J nutri Food sci*. 2012;2:e107.
97. Imperatori C. Childhood trauma in obese and overweight women with food addiction and clinical-level of binge eating. *Child abuse & Neglect*. 2016;58:180-190.
98. Mancini M, et al. Drastic Calorie Restriction for the Treatment of Massive Obesity. *J Obes Eat Disorder*. 2016;2:3.
99. Hesselberg JO. The Effect of a New Dietary Mineral Product on Body Composition and Weight in Overweight and Obese People. The Results from a Comparative Randomized 30-Days Study. *J Obes Eat Disorder*. 2016;2:3.
100. Jackson SE. Obesity, Weight Stigma and Discrimination. *J Obes Eat Disorder*. 2016;2:3.